

UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/084,355	02/28/2002	Michiaki Sakamoto	8018-1003	5587
466	7590 09/20/2005		EXAM	INER
YOUNG & THOMPSON			WANG, GEORGE Y	
745 SOUTH 2 2ND FLOOR	23RD STREET		ART UNIT	PAPER NUMBER
ARLINGTON	N, VA 22202		2871	

DATE MAILED: 09/20/2005

Please find below and/or attached an Office communication concerning this application or proceeding.

AX	
AL.	
ddress	
(30) DAYS,	
communication.	
ne merits is	
niner.	
CFR 1.121(d). PTO-152.	
al Stage	
ı	

	Application No.	Applicant(s)				
	10/084,355	SAKAMOTO ET AL.				
Office Action Summary	Examiner	Art Unit				
	George Y. Wang	2871				
The MAILING DATE of this communication appears on the cover sheet with the correspondence address Period for Reply						
A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION. - Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication. - If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication. - Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).						
Status						
1) Responsive to communication(s) filed on 01.	July 2005 and 14 March 2005.					
,	is action is non-final.					
3) Since this application is in condition for allows	Since this application is in condition for allowance except for formal matters, prosecution as to the merits is					
closed in accordance with the practice under Ex parte Quayle, 1935 C.D. 11, 453 O.G. 213.						
Disposition of Claims						
4) Claim(s) 1-22 is/are pending in the application	n.					
4a) Of the above claim(s) is/are withdra	awn from consideration.					
5) Claim(s) is/are allowed.						
6)⊠ Claim(s) <u>1-22</u> is/are rejected.						
7) Claim(s) is/are objected to.						
8) Claim(s) are subject to restriction and/	or election requirement.					
Application Papers						
9) The specification is objected to by the Examin	ner.					
10)⊠ The drawing(s) filed on 28 February 2002 is/a	re: a)⊠ accepted or b)⊡ objecte	d to by the Examiner.				
Applicant may not request that any objection to the	e drawing(s) be held in abeyance. See	e 37 CFR 1.85(a).				
Replacement drawing sheet(s) including the corre	ction is required if the drawing(s) is ob	jected to. See 37 CFR 1.121(d).				
11) The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.						
Priority under 35 U.S.C. § 119						
12)⊠ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). a)⊠ All b)□ Some * c)□ None of:						
1. Certified copies of the priority documents have been received.						
2. Certified copies of the priority documents have been received in Application No						
3. Copies of the certified copies of the priority documents have been received in this National Stage						
application from the International Bureau (PCT Rule 17.2(a)).						
* See the attached detailed Office action for a list of the certified copies not received.						
Attachment(s)	-					
1) Notice of References Cited (PTO-892) 4) Interview Summary (PTO-413) 2) Notice of Draftsperson's Patent Drawing Review (PTO-948) Paper No(s)/Mail Date						
3) Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08) Paper No(s)/Mail Date 3/24/02. 5) Notice of Informal Patent Application (PTO-152) Cher:						

DETAILED ACTION

Continued Examination Under 37 CFR 1.114

1. A request for continued examination under 37 CFR 1.114, including the fee set forth in 37 CFR 1.17(e), was filed in this application after final rejection. Since this application is eligible for continued examination under 37 CFR 1.114, and the fee set forth in 37 CFR 1.17(e) has been timely paid, the finality of the previous Office action has been withdrawn pursuant to 37 CFR 1.114. Applicant's submission filed on March 14, 2005 has been entered.

Claim Rejections - 35 USC § 103

- 2. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:
 - (a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.

This application currently names joint inventors. In considering patentability of the claims under 35 U.S.C. 103(a), the examiner presumes that the subject matter of the various claims was commonly owned at the time any inventions covered therein were made absent any evidence to the contrary. Applicant is advised of the obligation under 37 CFR 1.56 to point out the inventor and invention dates of each claim that was not commonly owned at the time a later invention was made in order for the examiner to

Art Unit: 2871

consider the applicability of 35 U.S.C. 103(c) and potential 35 U.S.C. 102(e), (f) or (g) prior art under 35 U.S.C. 103(a).

- 3. Claims 1-4, 10-16, 18-19, and 21-22 are rejected under 35 U.S.C. 103(a) as being unpatentable over Tagusa et al. (U.S. Patent No. 5,946,065, hereinafter, "Tagusa") in view of Zhang (U.S. Patent No. 6,219,118) and Applicant's Admission of Prior Art (AAPA).
- As to claim 1, 15-16, and 22, Tagusa discloses a liquid crystal display (LCD) having a plurality of gate lines (fig. 1, ref. 22) that are parallel to each other, a plurality of data lines (fig. 1, ref. 23) that are parallel to each other and perpendicular to the gate lines, switching elements (fig. 1, ref. 24) positioned near the intersections of the gate and data lines, a plurality of pixel electrodes (fig. 1, ref. 21) over the gate and data lines with gaps (fig. 2, ref. 712) via an interlayer insulation film (fig. 2, ref. 38) between the pixel electrodes that at least partially overlap with a gate line where the source and drain electrodes overlap with the gate line to form the switching element being entirely outside the gap between adjacent pixel electrodes (fig. 1, ref. 24; col. 10, lines 31-50), and a plurality of control electrodes (fig. 1, ref. 25).

However, the reference fails to specifically disclose an LCD with an opposing active matrix substrate with a liquid crystal layer disposed between the matrix substrates and control electrodes each disposed in the gap between adjacent pixel electrodes and cover the gate line.

AAPA discloses an LCD with an opposing active matrix substrate (fig. 10, ref. 64) with a liquid crystal layer (fig. 10, ref. 65) disposed between the matrix substrates.

Zhang discloses an LCD where each control electrode (fig. 1, ref. 116) is disposed above the gate line (fig. 1, ref. 110) between adjacent pixel regions (fig. 2).

It would have been obvious to one of ordinary skill in the art at the time the invention was made to dispose an opposing active matrix substrate, and liquid crystal layer since one would not only recognize these elements as well known in the LCD art but also be motivated to improve the aperture ratio of the display, minimize disturbance in the orientation of the liquid crystal molecules, and simplify the fabrication process (Tagusa, col. 7, lines 16-21). Furthermore, the influence of the capacitance between the pixel electrodes and the lines appearing on the display, such as crosstalk, can be reduced to achieve a good display (col. 7, lines 21-24). Lastly, enhancement to brightness and wider viewing angle are also advantages (col. 7, lines 25-28).

It would have also been obvious to one of ordinary skill in the art at the time the invention was made to have disposed each control electrode between adjacent pixel regions and to directly overlie the gate line since one would be motivated to effectively create a capacitor (abstract) by preventing charge generation and accumulation due to illumination with strong light (col. 4, lines 37-49). Also, the electrode may serve as a shield against electromagnetic waves to prevent the gate electrode from receiving undesired signals (col. 4, lines 43-49).

Application/Control Number: 10/084,355 Page 5

Art Unit: 2871

5. Regarding claims 2-4, and 21, Tagusa discloses the LCD apparatus as recited above with a control electrode that overlaps with the gap in the width direction, in the region where the gate line and pixel electrode overlap (fig. 2, 13).

- 6. As to claim 10, Tagusa discloses the LCD device as recited above where the interlayer insulating film comprises an organic film (fig. 2, ref. 38; col. 10, ref. 1-4).
- 7. Regarding claims 11-12, Tagusa, Zhang, and AAPA disclose the LCD device as recited above, however, the references fail to specifically disclose the LCD having a COT structure or a reflection type LCD.

It would have been obvious to one of ordinary skill in the art at the time the invention was made to have a reflection type structure since one would motivated to eliminate the need for back light and ultimately reduce power consumption (col. 1, lines 19-25). In addition, it would have been obvious to one of ordinary skill in the art to have equally used because Applicant has failed to address any particular advantage of such a structure and because a COT structure is functionally equivalent to a reflection type LCD and serves the same purpose.

8. Regarding claims 13-14 and 18-19, Tagusa disclose the LCD device as recited above where the control and source electrode are coupled via an extension to the contact hole (fig. 1, ref. 26) to the pixel electrode.

Application/Control Number: 10/084,355 Page 6

Art Unit: 2871

9. Claims 5-9, 17, and 20 are rejected under 35 U.S.C. 103(a) as being unpatentable over Tagusa, Zhang, and AAPA in view of Yao et al. (U.S. Patent No. 5,682,211, from hereinafter, "Yao").

Tagusa, when modified with Zhang and AAPA, discloses the LCD device as recited above, however, the references fail to specifically disclose a control electrode having the same potential voltage as that of the source electrode of the switching element. Furthermore, the references fail to specifically teach the control electrode on the same layer and integrally formed with the source electrode, having a multilayer structure comprising of metal.

Yao discloses an LCD device with a control electrode having the same potential voltage as that of the source electrode of the switching element (col. 3, lines 56-67). Furthermore, Yao teaches the control electrode on the same layer and integrally formed with the source electrode (fig. 4, ref. 25), having a multilayer structure (fig. 2, ref. 41) comprising of metal (fig. 2, ref. 66, 62).

It would have been obvious to one of ordinary skill in the art at the time the invention was made to have a control electrode having the same potential voltage as that of the source electrode of the switching element, the control electrode on the same layer and integrally formed with the source electrode, having a multilayer structure comprising of metal create an integral since one would be motivated to create a functioning LCD with optimized display quality and increased viewing angle (col. 2, lines 22-36).

Application/Control Number: 10/084,355

Art Unit: 2871

Response to Arguments

10. Applicant's arguments with respect to claims 1-22 have been considered but are moot in view of the new ground(s) of rejection.

Conclusion

11. Any inquiry concerning this communication or earlier communications from the examiner should be directed to George Y. Wang whose telephone number is 571-272-2304. The examiner can normally be reached on M-F, 8 am - 4:30 pm.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Robert H. Kim can be reached on 571-272-2293. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

gw

September 18, 2005

DUNGT. NGUYEN
PRIMARY EXAMINER

Page 7